




**TOP VIEW**




**RIGHT SIDE VIEW**



**LEFT SIDE VIEW**



**REAR VIEW**



**ISOMETRIC VIEW**

|                          |     |                             |            |
|--------------------------|-----|-----------------------------|------------|
| A                        | PED | INITIAL DESIGN              | 11/10/2011 |
| REV.                     | BY  | DESCRIPTION                 | DATE       |
| DRAWING REVISION HISTORY |     |                             |            |
| <b>DRAFT</b>             |     | <b>DO NOT SCALE DRAWING</b> |            |

DEBUR AND BREAK SHARP EDGES

|   |  |        |            |   |             |       |      |                                      |                |
|---|--|--------|------------|---|-------------|-------|------|--------------------------------------|----------------|
| STANDARD FILLET WELD SIZES FOR PLATE JOINTS - UNO | THINNEST PLATE IN JOINT DETERMINES FILLET SIZE | PLATE  | FILLET LEG | UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS | TOLERANCES: | MACH: | FAB: | DRAWN TO AS1100 3rd ANGLE PROJECTION | SCALE U.N.O. © |
| 6 PLT   | 5mm  | 6 PLT  | 5mm        | UP TO 150:  | ± 0.1       | ± 0.5 |      |                                      |                |
| 10 PLT  | 8mm  | 10 PLT | 8mm        | ABOVE 150 UP TO 300:                                      | ± 0.25      | ± 1.0 |      |                                      |                |
| 12 PLT  | 10mm   | 12 PLT | 10mm       | ABOVE 300 UP TO 1000:                                     | ± 0.5       | ± 1.5 |      |                                      |                |
| 16 PLT  | 12mm   | 16 PLT | 12mm       | ABOVE 1000:   | ± 1.0       | ± 2.5 |      |                                      |                |
| 20 PLT  | 16mm   | 20 PLT | 16mm       | WEIGHT  | kg          |       |      |                                      |                |
| 25 PLT  | 16mm   | 25 PLT | 16mm       | FINISH  |             |       |      |                                      |                |
| 32 PLT  | 20mm   | 32 PLT | 20mm       | MATERIAL  |             |       |      |                                      |                |
| 40 PLT  | 20mm   | 40 PLT | 20mm       |   |             |       |      |                                      |                |
| 50 PLT  | 25mm   | 50 PLT | 25mm       |   |             |       |      |                                      |                |

**KADOR ENGINEERING**

225 BRISBANE TERRACE  
GOONAH QLD 4300 AUSTRALIA  
PH: +617 3436 2500 FX: +617 3818 0036

DRAWN: PED 11/10/2011  
CHECKED: -  
APPROVED: -

THE DESIGN AND TECHNICAL INFORMATION DETAILED ON THIS DRAWING IS THE EXCLUSIVE PROPERTY OF LC PTY LTD. IT IS ISSUED ON THE STRICT CONDITION THAT, EXCEPT WITH OUR WRITTEN PERMISSION, IT MUST NOT BE USED FOR ANY PURPOSE OTHER THAN ITS STATED PURPOSE OF ISSUE.

|                |  |                |        |
|----------------|--|----------------|--------|
| DESCRIPTION    | HHAULMAX 3900G - SERVICE TRUCK - GENERAL ARRANGEMENT | SHEET          | 1 OF 1 |
|                |  | LC PROJECT NO. | 3774   |
|                |  |                | A3     |
| Drawing Number | 3774-200-00-GA                                       | REV            | A      |